

Field List

of the

BIRDS

OF

MARYLAND


by

Marshall J. Iliff Robert F. Ringler James L. Stasz

Maryland Avifauna Number 2

Maryland Ornithological Society

Third Edition, May 1996





Field List of the

BIRDS

 \mathbf{OF}

MARYLAND

by

Marshall J. Iliff Robert F. Ringler James L. Stasz

Maryland Avifauna Number 2

Maryland Ornithological Society

Third Edition, May 1996

MARYLAND ORNITHOLOGICAL SOCIETY

Cylburn Mansion, 4915 Greenspring Avenue Baltimore, Maryland 21209 (800)823-0050; (410)244-0032

The Maryland Ornithological Society [MOS] is a nonprofit, statewide organization composed of people who are interested in birds and nature. It was founded in 1945 and incorporated in 1956 to promote the study and enjoyment of birds. The purposes of MOS are to promote knowledge, appreciation, and conservation of our natural resources, to maintain a system of sanctuaries, to encourage conservation of birds and bird habitat, and to record and publish observations of bird life.

Local chapters throughout the state offer field trips, bird counts, and conservation projects for members and guests of all ages. Lively and informative programs complement regular meetings where members and guest speakers share their knowledge and expertise. Beginners as well as experienced birders are invited and encouraged to become members of MOS.

Your membership in the Society provides many tangible benefits such as support for the sanctuary program, scholarships and research grants, and subscriptions to publications of the Society. More important, however, your membership means you become a partner with those who care about wise stewardship of our natural resources.

Statewide activities include an annual conference; a speakers' bureau; a sanctuary program; research grants and scholarship program; publication of a quarterly journal, *Maryland Birdlife*; and a bimonthly newsletter, *The Maryland Yellowthroat*.

MOS vigorously supports local, state, national, and international conservation causes relating to birds and bird habitat.

MOS Sanctuary Program

MOS manages a number of sanctuaries throughout Maryland. MOS sanctuaries encompass areas of unique ecological significance as well as typical Maryland habitats from the mountains to the coastal plain. Protection, education, and research are the primary goals of the MOS sanctuary program. The MOS sanctuary committee and local chapters oversee the maintenance and use of these sanctuaries.

MOS sanctuaries are open to the public by advance reservation. Schools, scouts, and other organized groups are invited to visit. A guide to MOS sanctuaries is available on request.

Scholarships and Research Grants

MOS annually awards a number of scholarships to teachers, youth leaders, and students who are involved with conservation and environmental education. MOS also awards research grants to encourage studies of birds in Maryland. Papers on the results of research projects are presented at the annual conference of the Society. More information on grants and scholarships can be obtained by writing MOS, Research or Scholarship Committee.

PREFACE

This Field List presents, in summary form, a complete list of the birds of Maryland, with their dates of occurrence and relative abundances at all times of the year. Counties in which each species has been found and the preferred habitats of each species are given. Nomenclature follows the A.O.U Checklist (1983) with supplements through 1995. The charts on pages 6-47 include all 399 species on the official list of the Maryland Ornithological Society [MOS]. These species have been verified by specimen, photograph, or other documentation and accepted by the Maryland/District of Columbia Records Committee [MD/DCRCl. Also included in the main list are 11 unsubstantiated species that await MD/DCRC approval before they can be included on the official list. These species are marked with hollow stars after the species' name. Appendix 1 provides information on some field identifiable subspecies, hybrids. and forms. Not included are exotic waterfowl, parrots and other common cage birds which are probably not of natural occurrence. Appendix 3 lists species which have been reported with insufficient information to substantiate the identification or that the bird was of wild origin.

The dates of occurrence, relative abundance, and extreme egg dates are updated through 18 May 1996. In 1977, the Maryland list stood at 374 species with 16 additional species listed as hypothetical. The past 19 years of reports from scores of observers have added much to our knowledge of birds in Maryland. 25 species have been added and the status of many others has changed. While this edition of the Field List contains much more information than any of its predecessors, there are still many gaps. We hope the Field List will stimulate observers to report well-documented sightings to be included in future editions.

KEY TO GRAPHICS PAGE

Following the name of each species is the Habitat Code. The habitats for each species are listed in decreasing order of preference; breeding habitats are capitalized. Next is a graph of occurrence and abundance through the calendar year. Five line widths indicate statewide comparative abundance. The lines are based upon estimates of the actual total abundance within Maryland and do not distinguish species evenly distributed across the state from those of limited distribution. The broadest line signifies that the species is abundant during the indicated time of the year. The thinnest line indicates that the species is rare and of annual occurrence. A dashed line means the species is present in most years but not reported annually. A bold dotted line indicates that the species is unreported most years. The abundances of some species are highly variable from year-to-year and these irruptive occurrences have been depicted by an alternation of appropriate line widths. A fine dotted line displays the time period for a single occurrence of more than 5 days. Arrows indicate the first and last dates of a report; tilted stars are used for reports requiring MD/DCRC review. Individual occurrences of 5 days or less are marked by a small square, solid star. or hollow star. A small square is a report which did not require MD/DCRC review; stars indicate reports requiring MD/DCRC review. The solid stars show

reports accepted by MD/DCRC. Hollow stars indicate reports which have not yet been reviewed or have not met the standards for acceptance by MD/DCRC [see Appendix 2].

Nonitalic numbers indicate extreme early or late dates of migration. A tick mark and an italic number show the earliest and latest dates for viable eggs (but not necessarily full clutches) in Maryland. Documentation of reports before or after these dates should be sent to Maryland Birdlife. Finally, question marks indicate the status is uncertain and reports of all sightings during that period are encouraged.

KEY TO CHECKLIST PAGE

This page displays species' occurrences for Maryland's 23 counties, with Baltimore City included in Baltimore County, (roughly arranged northwest to southeast) and the pelagic zone (3-200 miles offshore). The symbol for a species' occurrence in each county is shown in the lower right-hand corner of each block. A large solid square marks a species easily found almost every year in the appropriate season and habitat. A large hollow square notes species which might be found every 3-8 years. Species with very few records have been marked by a small square, solid star, or hollow star. A small square is a report which did not require review by MD/DCRC; stars indicate reports requiring review by MD/DCRC. The solid stars show reports which have been accepted by MD/DCRC. Hollow stars indicate reports which have not yet been reviewed or have not met the standards for acceptance by MD/DCRC [see Appendix 2]. "X" denotes extirpated or extinct species. Question marks indicate the status is uncertain in the county and reports of all sightings are encouraged.

The upper right corner of each block shows the species' breeding status in the county. "B" signifies confirmed or probable breeding after 1977 and follows the standards of the <u>Maryland Breeding Bird Atlas</u>. Historic (before 1978) confirmed breeding, but with no records since, is indicated by "H". A "?" signifies that the breeding status in the county is uncertain.

Acknowledgements:

The Field List represents the consensus opinions of the authors after examination of the published reports and consultation with knowledgeable observers across the state. These include: Henry T. Armistead, Ann Bishop, Rick Blom, Bob Boxwell, Dave Brinker, Ian Cornelius, Patty Craig, Dave Czaplak, Lynn Davidson, Sam Dyke, Jeff Effinger, Ethel Engle, Jane Farrell, Greg Gough, Gary Griffith, Jim & Trish Gruber, Mark Hoffman, Ottavio Janni, George Jett, Michael O'Brien, Paul O'Brien, Fran Pope, Kyle Rambo, Jan Reese, Chandler Robbins, Gene Scarpulla, Teresa Simons, Joanne Solem, Glenn Therres, Mary Ann Todd, Charles Vaughn, Dave Webb, and Hal Wierenga. We are especially grateful to Paul Fritz, Jim Paulus, and Sue Ricciardi for supplying unpublished hawk counts and to Margaret Donnald, Jim Gruber, and Barbara Ross for providing banding information that helped us determine the migration timing of Gray-cheeked and Bicknell's thrushes. Mark Hoffman prepared the background information about MD/DCRC; Phil Davis supplied a copy of the current

MD/DCRC review criteria. In addition to providing Breeding Bird Survey data, Bruce Peterjohn was instrumental in coordination with the MD/DCRC.

The authors are solely responsible for any errors.

Bibliography:

American Ornithologists' Union. 1983. <u>Check-list of North American</u> <u>Birds</u>. 6th Edition.

American Ornithologists' Union. 1985. 35th Supplement to American Ornithologists' Union Check-list of North American Birds. Auk v.102.

American Ornithologists' Union. 1987. 36th Supplement to American Ornithologists' Union Check-list of North American Birds. Auk v.104.

American Ornithologists' Union. 1989. 37th Supplement to American Ornithologists' Union Check-list of North American Birds. Auk v.106.

American Ornithologists' Union. 1991. 38th Supplement to American Ornithologists' Union Check-list of North American Birds. Auk v.108.

American Ornithologists' Union. 1993. 39th Supplement to American Ornithologists' Union Check-list of North American Birds. Auk v.110.

American Ornithologists' Union. 1995. 40th Supplement to American Ornithologists' Union Check-list of North American Birds. Auk v.112.

Robbins, Chandler S. (ed.). (in press). <u>Breeding Bird Atlas of the Birds of Maryland.</u> University of Pittsburgh Press.

Robbins, C.S. & D. Bystrak. 1977. Field List of the Birds of Maryland, 2nd Edition. Maryland Avifauna No. 2. Maryland Ornithological Society. 45pp.

Robbins, C.S. & W.T. Van Velzen. 1968. Field List of the Birds of Maryland, 1st Edition. Maryland Avifauna No. 2. Maryland Ornithological Society. 45pp.

Stewart, R.E. and C.S. Robbins. 1958. <u>Birds of Maryland and the District of Columbia</u>. U.S. Department of the Interior, Fish and Wildlife Service. North American Fauna No. 62. vi & 401pp.

Solid Li

GRAPHICS CODES

Solid Lines: annual relative abundance

Broken Lines: less than annual

At least one record, report to Maryland Birdlife At least one record, report to MD/DCRC

At least one report, report to MD/DCRC

/17 20\ First and last egg dates
23 Typical early or late migration date
? Status uncertain in this time period

CHECKLIST CODES

- Likely to be found in the county every year
- Likely to be found in the county less than every year
- At least one record from the county, report to MD/DCRC

At least one record from the county, report to Maryland Birdlife

- At least one record from the county, report to MD/DCRC.

 At least one report from the county, report to MD/DCRC
- Extirpated/Extinct: will never naturally occur again.
- Status uncertain in the county
- Has bred in the county after 1977
- Has bred in the county, but not after 1977

HABITAT CODES

- Abandoned (fallow) fields
- Bottomland forests, floodplains, swamps
- Cow or horse pastures
- Upland deciduous forests
- Estuaries and bays
- Fresh marshes
- Gardens, orchards, farmyards
 - h Hayfields
- Jetties
- Pine woods
- Littoral zone (ocean 0-3 miles)
- Muddy fields (plowed, harvested)
- o Ocean beaches, sand flats

Northern conifers

- p Pelagic zone (ocean beyond 3 miles)
 - Dredge spoil impoundments
- Reservoirs, rivers, ponds
- Salt marshes
- Tidal mud flats
 - Urban areas
- Hawk migration corridors
- w Wood margins, hedgerows, scrub
 - x Bogs
- Sanitary landfills

	Habitat	Jan	Feb	Mar	Apr	Мау	Jun	Jul	Aug	Sep	Oct	No V	Dec
Red-throated Loon	<u>e</u>						¥ Å			62			
Common Loon	elrp						1						
Pied-billed Grebe	ReF					/1/	20						I
Horned Grebe	e r					23		:	:	28			
Red-necked Grebe	2	 				·					27		
Eared Grebe	erl	:	₩	1		19			22	•	•	•	3
Western Grebe [★]	=	*			*	¥	*					茶	*
Yellow-nosed Albatross*	۵												\$
Northern Fulmar	۵	٠.		İ			12 ?			26	•	ċ	۲.
Cory's Shearwater	Ιď			•		9.					1 28	00	
Greater Shearwater	Ιđ					6				1		i	و
Sooty Shearwater	ם				23			٠.	. 28				•
Manx Shearwater	ā		•		23		26	•		٥.	•	•	:
Audubon's Shearwater	٦d							50.		26			
Wilson's Storm-Petrel	ple				23					İ	28	•	
White-faced Storm-Petrel*	۵								*				
Leach's Storm-Petrel	Δ.				စိုး			•	:		17		
Northern Gannet	ple						± 1		:	:	اي	Ī	I
American White Pelican [▼]	efr		弁	_:_	* 4	なななななる。	#	一年の一本・二・	#	4	*		_₹∡_
Brown Pellcan	Elo	:	•	₽•		/23				14		30	:

	Ga	A	Wa	F.	Sa	Al Wa Fr Ca Mo Ho Ba	9 H	Ва	На	Ce C	CePGAA Ct ChSMKe QACn Ta	\$	5	<u>۲</u>	×	e e	\×	r. T		> 0	/i Sc	N N	Do Wi So Wo Pe	MD
Red-throated Loon				•					•		4	-					-	•			•			
Common Loon																								
Pled-billed Grebe					m I	I		m		ω ■	ω 🔳	ω 🔳	-		Ϊ	-				~		0	ω ■	
Horned Grebe															-									
Red-necked Grebe					•	L		L.	•	•		L	E				•	•	-				•	-
Eared Grebe				•		•	•	•												•		•		
Western Grebe [★]	*					₹2	₹₹	*								₹₹						7	*	
Yellow-nosed Albatross [★]																				-			*	
Northern Fulmar																								
Cory's Shearwater																	-			_		_		
Greater Shearwater																							_	
Sooty Shearwater																								
Manx Shearwater																								
Audubon's Shearwater																								
Wilson's Storm-Petrel											- 1			•	T		•							
White-faced Storm-Petrel																							*	
Leach's Storm-Petrel											•						•		•					
Northern Gannet								₹	\$	-						•								
American White Pelican [★]	,							₹	₹2	*	☆	*		\neg	₹	*		-	-	☆		٠ ج	7,4	
Brown Pelican					*			*	*	*	₹₹	•	•				•		•	•	_		m .	

	Habitat Jan	Jan	Feb	Mar	Apr	May Jun	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Great Cormorant	ejr					- 22	À		25				
Double-crested Cormorant	Eor					717			8				
Anhinga*	_				*	TOTAL PRICE				ţ1	¢z		
Fregata species*	del				本なな		ţz		\$t	\$1			
American Bittern	Fs					/22	18/						
Least Bittern	ш	:			1	/10	77		11/1		12	*	:
Great Blue Heron	rfEsB			07				1					
Great Egret	sfrE			φΙ	6/		29						
Snowy Egret	sfEr	:		 	118								-
Little Blue Heron	sfEr	:		छ।		/23	/23 \ 4					i	
Tricolored Heron	n E					/15	162						
Cattle Egret	cmE		٧	9:	6/				30			İ	29
Green Heron	rBEs	:	4.	<u>φ</u> !	/21			32					
Black-crowned Night-Heron	sErf				//4	82							
Yellow-crowned Night-Heron	sErB			<u>υ</u> *	/21			18/			:	0°	۰.
White Ibis	fsī			λ	·	V	15	i		::	×. <11		
Glossy Ibis	sfErm	:	:	-	/50			12				:	:
Roseate Spoonbill [★]	45				*		!			*			
Wood Stork [★]	40						*	******	₽ ¥		*		

	Ga	¥	Wa	正	Ca	CaMo	우	Ba	Ha	Ce	PGAA	AA	Ct Ch SMKe	S.	SM	Ke	QA	5	Ta	Do	N.	SoWo	0	ø	Σ
Great Cormorant					₹	*					T	80						•				-	-10	-	_
Double-crested Cormorant								-		-					MI	-	-	100	m I	00 M			∞ ■		
Anhinga≭				*		₹2		*				*	₹2	₹⋨					-{3				*		
Fregata species																							ł	₹3	
American Bittern											I	I	-							ω ■		∞ ■			
Least Bittern	Ξ.	ω.		ω .		m L		20	oo L	∞ ■	ω.	ω	0	m	ω	an E	∞ ■	Δ.	ω.	<u> </u>	ω	ω.	ωL	\vdash	\vdash
Great Blue Heron			-		ω ■		ω	100			co	m 🔳	ω	∞ ■	ω .	m	∞ ■	-	<u>م</u> ا	00 1	I	00 M	ω.	-	
Great Egret													-	I	ω	300	I		ω I	m		ω	۵		
Snowy Egret	а							Φ.	ng.	- 10					TE		I		m I	00		ω ■	ω		
Little Blue Heron	•	•	•											E.	I				ω ■	aa 🌉	•	m	∞ ■		_
Tricolored Heron						-				•			Ţ		IL		IL	•	L	മ		മ ■	<u>m</u>	_	_
Cattle Egret	•												-				T		∞ ■	ω 🖿		മ	ω 		
Green Heron	ω ≡	∞ ■	co	ω ■	0	ω =	ω 1	ω.	ω ■	ω.	∞ ■	60	₩ 1	ω ■	ω	ω ■	m	ω ■	Δ.	∞ ■	ω	ω 🛮	ω .		-
Black-crowned Night-Heron	•											I		I	I					00	L	ω 🖿	m		
Yellow-crowned Night-Heron			in the			20 [ω				E.		-		•	•	•		ω		ω	(C)		
White Ibis			_				_								,					"			-	-	-
Glossy Ibis		•	k												I		I	100	có 🔳	ω 🖿	-	oo 🔳	α ■		
Roseate Spoonbill*																						*			
Wood Stork*		*						*			- x	*	*						*		4.7				

	Habitat	Jan	Feb	Mar	Apr	May Jun		Jul	Aug	Sep	Oct	Nov	Dec
Fulvous Whistling-Duck*	4		経ぬ		32		÷		₩	超	\$1	英 赛米	草
Black-bellied Whistling-Duck	_						*						
Tundra Swan	emr	ı	Ī	l				i			1	ļ	
Mute Swan	E E			18			23						
Greater White-fronted Goose	erm			ĺ	 -	₽•				₩.			
Snow Goose	msef			À						!			
Ross' Goose	msef		I	<u>စ</u> . i							<u>ت</u>		
Brant	elsj			Î	101		7	:		29	1		
Canada Goose	eRFm	H]			2			1	Į		
Wood Duck	Brfl			1,1				25/					
Green-winged Teal	Fsri			Ī		5		i				İ	
American Black Duck	SERI	I		4					24				
Mallard	REFs	ı		112	I			I	(0)				I
Northern Pintail	freSi				72		\ <u>\2</u>		 - -				
Blue-winged Teal	Frsi	-	124			58		6					
Cinnamon Teal [*]	fs		± 4	P	口口	4				*		¥	
Northern Shoveier	Frsl				11	-	<u>7</u> 12	:	01				
Gadwall	Serf					14		19/					
Eurasian Wigeon	rt				-20		;			Ļİ —	1		
American Wigeon	E			Į		į	- i - i	:	و		I		
Canvasback	ē				İ	 - -	1	İ	111		1	ļ	

	G	A	Wa	i L	O	CaMo	운	Bal	На	е В	CePGAA		<u> </u>	SI	Ct ChSMKe	OA	Cu	Та	Do	Š	So	So Wo Pe	MD
Fulvous Whistling-Duck*						₹३				-	⊀≭	₹≇	_	Ĺ	- ₹2	*			*			-{¤	
Black-bellied Whistling-Duck													+×										
Tundra Swan							-															_	
Mute Swan	~	~	~	~	~	~			ω	ω I		ω	ம்	m	ω.	ω.	m I	8	m I	-	C- [
Greater White-fronted Goose						•	-														•	-	
Snow Goose		н					-	-		-					_								
Ross' Goose						♦			-	-	_												
Brant																							
Canada Goose	0	ω	ω ■			M	ω	m =	CD	ω.	ω∎	m	∞	m	m .	8	ω.	a		m I			
Wood Duck	m		Δ.	Δ .	m		(A)	m I	00	ω	ω.	0	m	ω.					m		m I		
Green-winged Teal			-				-	-	-	m	-	-	-	-									
American Black Duck	0						ω ■	ω.	ω 📕	m III	മ ■	ω.	m	<u></u>	™								
Mallard	ω	ω.	Δ.	m	m)	0	∞ ■	<u>ш</u>	m	m 1	ω 1	ω .	0	ω ■		ω.	m	0	ω.	m			
Northern Pintail																						™	
Blue-winged Teal			L			I		I		ω ■		工業	ω		I				Δ.	m	∞ ■		
Cinnamon Teal [★]										43		-		_			*	_	7.4	, .			
Northern Shoveler										10		-	-	-	L				ш :	nc =			
Gadwall							T.					I							ш.	m	(C)	<u>m</u>	
Eurasian Wigeon	•	_				•				gt.					-		-		. "		L	•	
American Wigeon							-			-													
Canvasback		Į.	[1					_										

				-									
	Habitat	Jan	Feb	Mar	Apr	May Jun		Jul	Aug	Sep	Oct	Nov	Dec
Redhead	er										!		
Ring-necked Duck	rfe					//	1	i					
Tufted Duck [☆]	0		¢ï										
Greater Scaup	erl					:							
Lesser Scaup	erl						I			<u>i</u>	Ī		
Common Elder	jle		 	1		<u>9</u>		¥ ::			2		
King Elder	<u>=</u>	1			i			X	* X			:	
Harlequin Duck	ile e			:	:	o.:					6		I
Oldsquaw	elrj							:		:			
Black Scoter	lejr					i			!				
Surf Scoter	lejr												
White-winged Scoter	lejr							-	-		Ī		
Common Goldeneye	er					I		:			i .		
Barrow's Goldeneye*	o o		☆	*									*
Bufflehead	erl						:			:	1		
Hooded Merganser	rsfB			/14		15/							
Common Merganser									:		:		I
Red-breasted Merganser	elrj						:						
Ruddy Duck	Se Se				İ				Î				
Masked Duck [★]	•									*			
				i									

Redhead		Ga Al	AI Wa	L.	a Mc	СаМоНоВа	Ва	H	CePGAA	GA A	5	<u>ဂ</u>	SM	X O	NA C	Ct Ch SMKe QA Cn Ta		×	So	Do Wi So Wo Pe	9	_ ≥	M
before the first of the first o	Redhead	L						-							L	-	-			ľ	\vdash	-	T
Scoter neye	Ring-necked Duck		•															L.			+	-	
Scoter Scoter	Tufted Duck ^{t∕²}								-	Ĺ	₹.					-					-	-	Τ
Scoter Neye	Greater Scaup				<u></u>								-	•	h	-					-	\vdash	
Scoter neye had a series and a	Lesser Scaup			-					-													-	
Scoter Scoter	Common Eider	-			L				-	_			1		-	\vdash					-	\vdash	Т
Scoter Neye	King Eider					-	₹	-		-					-	-		<u> </u>			-	-	
Scoter heye They Theye They Theye They Theye Theye Theye Theye Theye Theye Theye Theye They Theye Theye Theye Theye Theye Theye Theye Theye Theye	Harlequin Duck						₹	₹	- ₹	_								<u> </u>	ľ	-		\vdash	T
Scoter neye	Oldsquaw			L															L			\vdash	T
Scoter neye	Black Scoter		•				•								-	-						-	
Scoter neye	Surf Scoter	-		-				-	-					•	 	-	L			<u> </u>	+	┝	Т
neye ine	White-winged Scoter			-				-				L		•					'		-		T
ineye* Iser Iser Ins	Common Goldeneye																H					-	
ser B B H H H H H H H H H H H H H H H H H	Barrow's Goldeneye [★]			_	_				-				1									-	T
Aerganser Aergan	Bufflehead			-				-		- 11					-				ľ		-	-	T
Aerganser Aergan	Hooded Merganser	8	_	<u>a</u>			•	-	-		m			0	H	-	Ľ		ľ	h	-	-	Т
derganser Aerganser	Common Merganser							-												L	-	-	
	Red-breasted Merganser			_				-					-								-	-	T
	Ruddy Duck						ω .		- 111												+	-	
	Masked Duck*								*							-							Ì
																_							

	Habitat	Jan	Feb	Mar Apr	Apr	May Jun	Jun	Jul	Aug	Sep		Oct Nov	Dec
Black Vulture	aWDv			114		11							
Turkey Vulture	aWDv												
Osprey	ERV		0	1				10%					
Swallow-tailed Kite*	>				21#	古 地元本本 中	4 4		· · · · · · · · · · · · · · · · · · ·	*	E.A.		
MississIppl Kite*	^					वितर प्रकास थ्र	*	42	ななな	1 N			
Bald Eagle	ERV		7.5		56								
Northern Harrier	sfhAv					28	23/				ļ		
Sharp-shinned Hawk	wDvns					/12	30			Ī			
Cooper's Hawk	wDvs					129							
Northern Goshawk	vwNs			-			•	2	٠. ٢				
Red-shouldered Hawk	Bwv			14	I	31/							
Broad-winged Hawk	Q,			28	123		161		I				ආ <u>=</u>
Swainson's Hawk*	>			,	*								
Red-tailed Hawk	WDcav		i	9								İ	
Rough-legged Hawk	sfa		- 100			o.				12	1		
Golden Eagle	vfrs					≱. - -			8	1			
American Kestrel	Av			/23			18						
Merlin	ovws				-	i I		Dax 5	4.				
Peregrine Falcon	SvDo		715				181						

															_										
	n B	₹	AI Wa	ᇤ	Ca	CaMol	수	Bal	На	CeP		\ V	Ct	S H	ChSMKe	S S	QAC	Cn Ta	a	DoV	WiS	SoWol	o Pe	_	MD
Black Vulture	m •	ω					Δ .	m ■	m .	<u>m</u>	Δ.	ω 🔳	ω	ω .	ω .	œ =	<u>ш</u>	a	m ■	<u>m</u>	m =	ന 🔳	ω ■		
Turkey Vulture	ω 📰		ω _	Δ.	ω .	ω 🔳	m m	ω 🔳	ω 🖿	m .	ω	m .	ω .	œ ■	ω ■	œ 	<u>ш</u>	ω	m	ω 🔳	m .	m	m		
Osprey	~						<u>ш</u>	ω 🔳	ω =	m =	m =	ω 🔳	ω 🔳	œ E	m ■	m =	ш <u>ш</u>	∞ ■	∞ ■	™	Ω ■	□	M		
Swallow-tailed Kite*		₹ ≭			⊀≭	· *	*	*		₹	₹1	₹3	₹₹					*	*	₹			- ₹		
Mississippi Kite [★]		4				+×	42		松		₹z	*		₹2	44							_			
Bald Eagle			I	I		ω 🔳	ω ■	ω 🔳	ω ■	Ω.■	ω	<u>m</u>	ω .	ш _	<u>m</u>	m m	∞ ■	<u>m</u>	m .	m m	m =	<u>в</u>	ω		
Northern Harrier	ω					ω		ω μ							ω	c- I	2	٥-		м	m =	ω ■	m m		
Sharp-shinned Hawk	ш					I					I				-	80									
Cooper's Hawk	. m	ω.	ω.	m .	ω ■	ω I	m I	ω 	ω =	m =	ω.	ω.	ω ■	ω .	ω .	m =	<u> </u>	m =	m =	ω ■	ш ш	m I	m I		
Northern Goshawk	<u>ш</u> _						•	•		-	-		-			-					-		_		
Red-shouldered Hawk	ш.	Ω.	ω.	ω	ω ■	ω ■	ω 🔳	ω 🔳	m =	m	ω	ω =	œ .	ω 🔳	ω 🔳	m =	œ I	<u>ш</u>	ω ■	m I	m =	m m	ω 		
Broad-winged Hawk	a .					ω 🔳	m =	ω 📕	മ	ω 🖥	ω 🔳	m =	m [ω 📕	m =	ω 🔳	ω ■	m [m I	œ I	m [<u>m</u> L	m [
Swainson's Hawk [★]												-JK													
Red-tailed Hawk	ω.■	m I	ω	ω	<u>m</u>	Ω.■	ω 🔳	ω 🔳	ω 🔳	m m	ω 📰	ω 🔳	ω 📰	ω	ω .	∞ ■	œ =	m =	<u> </u>	m	m m	ω ■	m m		
Rough-legged Hawk	L							L	•	•	С	E		-			-L				-	-	_		
Golden Eagle	·					•	•				-		•		•		-			=	•				
American Kestrel	ш.	m I	m =	ω 🔳	ω.	∞ ■	ω ■	ω]	ω 🗏	m I	m =	m =	m =	m I	<u>m</u>	m I	m =	∞ ■	m =	m =	m =	m m	.		
Merlin								III					-												
Peregrine Falcon ⁽¹⁾	*	I	I	Ι.		エレ	•	m II	I.			ω.		7						m =		ω ■	-		
① All current br	breeding	<u>.s</u>	from	inti	introduced	s pa	stock			\exists			_		\dashv	\dashv	-	-	\dashv	-	-	-		\dashv	

	Habitat	Jan	Feb	Mar	Apr	May Jun		Jul	Aug	Sep	Oct	No N	Dec
i d					16 51								
King-hecked Pheasant	GHAW					0	3						
Ruffed Grouse	MNIQ					97	8						
Greater Prairie Chicken	extirpated												
Wild Turkey	Dmw					//3 4							
Northern Bobwhite	HAW				"						14		
Yellow Raii [★]	fsa		1	10公立	東班 公	47				2	2 krit xkit	¥19	簑
Black Rail	Sfh				12	/20		22		27			:
Corn Crake*						3		6				*	
Clapper Rail	S					/14		20/					
King Rall	F					/1/	23						
Virginia Rail	S.T.					/ 14			\91				
Sora	S.	:		25	 -	1	125\3						
Purple Gallinule*	u.				75		** 本·本本本本本	→·京·· 京	*		, *		
Common Moorhen	ш.		:	Z.		01/	8						i
American Coot	reF						77		\ 				
Limpkin*	br					*	*				,		
Sandhill Crane	ES			: -		·			***	₩ 20	20		İ
Black-bellied Plover	tmq												
American Golden-Plover	mtcq			۳. ا		16		26				1 29	:
Wilson's Plover	0				9	/15	26/		: 	9			
Semipalmated Plover	togr		:		ا اوا								

Ring-necked Pheasant Ruffed Grouse Ruffed Grouse Ruffed Grouse Ruffed Grouse Rid Turkey Wild Turkey Wild Turkey Wild Turkey Wild Turkey Rorthern Bobwhite			0 0	;				<u> </u>	,		
		x • m m m		C		·	c- c	~[[,	
# # # # # # # # # # # # # # # # # # #		∞ ∞ •	_		6.			-			
		□ □ □ →			×						
		Φ■ →	ω.		ω∎	ω.	ω.		в		
	* 4		8	8	ω.	B	ω	ω	ω .	ω .	
	\$ 2		*					*			
₩ • ₩ L ₩ • L		m C	•	# •	•	- B		~	~ [ω .	
										*	
		8 L	<u>a</u> [8	a C	8 L	8	ω.		ω .	
	I .		ω 🖿		60						
\$ a		ω.			-						
		₹	₹≭	*						⟨ス	
	m l	m . □ .	m =	m I	∞ □	<u>a</u> [B	∞ ■	ω ■	ω ■	
										ω 1	
Limpkin *		*									
Sandhill Crane	•					•	•	•	-	5	
										-	
American Golden Plover				-	•	-				-	
Wilson's Plover										8 0 L	
Semipalmated Plover										- 10	_

	Habitat	Jan	Feb	Mar	Apr	Мау	Jun	Jul	Aug	Sep	Oct	No.	Dec
Piping Plover	Ota			i		/12	30						
Killdeer	MWCQ	Ĭ	Ī	- 8/				20/					I
American Oystercatcher	9E				6/		দি						
Black-necked Stilt	Fqr				4 L	/		6		8			
American Avocet	qtrf	v .		5-	i	19	27	1				y	∓ :
Greater Yellowlegs	sfqtrm						i						
Lesser Yellowlegs	sfqtrm	1	-										
Solitary Sandpiper	rfm			هِ ا			:					56	10
Willet	Sotq	:		2.		6		15				į	
Spotted Sandpiper	Rq			23	Ī			15/			İ	i	
Upland Sandpiper	Hca			25		01/	10\ 24			26			
Eskimo Curlew [★]	0-									ć			
Whimbrel	so				<u>.</u>]			j	24		
Long-billed Curlew*	υ	,				¥	*		* 4	**			
Hudsonian Godwit	tq					16	2	17	1		i	ì	₽•
Marbled Godwit	tq.				29	23	٠	4: 				. -	
Ruddy Turnstone	ojtmq											1	
Red Knot	ojtą			:	4:		27	12				İ	
Sanderling	otjq	İ					İ	Ţ					
Semipalmated Sandpiper	tosd				4. 							1	۷
Western Sandpiper	tosd		•			1 1 1 1	:						

	Ga Al	Wa	正	Cal	СаМоНо	Ω.	аНа		CePGAA	AA	Ct Ch SMKe	Sh	ΣX	O e	QACn	ηТа		Do Wi So Wo	So	WoPe	MD
Piping Plover					F	₹3	- 33							_		<u> </u>	<u> </u>			வ்∎	
Killdeer	m =	ш ш	8	m ■	ω 🛮	<u></u>	m ■	0	ω 	m III	m	ω 📜	m	ω ■	m m	m .	ш	ω .		ω ■	
American Oystercatcher							₹			•			-						00	m	
Black-necked Stilt				₹3		\$	-	_		•		-		•	_				m		
American Avocet	•					•	С			•			•				L		-	•	
Greater Yellowlegs	•					-	-					-	-	-	-				-		
Lesser Yellowlegs	-									*			-								
Solitary Sandpiper	-					-														-	-
Willet	•							_					ω.		ω.		<u>а</u>	m	m	m]	
Spotted Sandpiper	m	<u>m</u>	ω.			-	m	ω.	m	m •		ω 🕨		m.	m					I	
Upland Sandpiper	m		œ.	-	IL	T.	ΞŪ					-	-	-							
Eskimo Curlew ★								L				-			-	_				1	-
Whimbrel					-							١.		-							
Long-billed Curlew*							*		- 10				+	- ₹					₹	₹3	
Hudsonian Godwit			141	*					•				-						•		
Marbled Godwit		-{≭						<u> </u>				-		-		_	L.				
Ruddy Turnstone			•	•																	
Red Knot						-				•	-								L		
Sanderling			•	-		-	-				-		-					_			
Semipalmated Sandpiper	-					L															
Western Sandpiper			-				-						-								

	Habitat	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	No.	Dec
Red-necked Stint	-								*				
Little Stint*	Ф									*			
Least Sandpiper	rtqfsm	i	-	-	T								٤
White-rumped Sandpiper	tamo				24			23,					2 • ∨ ⊆
Baird's Sandpiper	qrt							25	!			1	2 .
Pectoral Sandpiper	frams			 -		,	27 - 6						4.
Purple Sandpiper	oí						مام			8"			
Dunlin	stoqmf								!		I	i	
Curlew Sandpiper*	qŧ					* 4	Ş				łĸ	30	
Stilt Sandpiper	qrt				φ.		<u>n</u> .	o				27	
Buff-breasted Sandpiper	ьш										<u>۾</u> ا		
Ruff	qtfm				4	i		ا			" 		
Short-billed Dowitcher	ffqms			26		1					, 	•	
Long-billed Dowitcher	tfqrm	c		우.	:	2/		22					
Common Snipe	fmsr					28		စ္	i				
American Woodcock	BW			25	_	25	3						4
Wilson's Phalarope	qtfr				p=		'	5					· · · · · · · ·
Red-necked Phalarope	plqr				52		ì	3,	i ,		Ĺ)
Red Phalarope	pirq	•			,,	20			4				:
													_
			_						_				_

	Ga	AI Wa	<u>_</u>	Fr СаМоНоВа	<u></u>		- <u>B</u>	H A	<u> </u>	<u>a</u>	AA	さ	ည	SM	× e	Q	Ce PG AA Ct Ch SM Ke QA Cn Ta		00	- 57 	30	Do Wi So Wo Pe	Φ	2	MD
Red-necked Stint				-	-		_		_	L										\vdash	1	+	+	+	T
Littie Stint [★]							ļ	-	_										\top	-	+	H	-	+	T
Least Sandpiper		-											•			1	•	•	1		+	\vdash	1	+-	
White-rumped Sandpiper		E	-		L	-	_													-			+	+-	T
Baird's Sandpiper	•		-			-														-	-		-	+	
Pectoral Sandpiper	•		L	-	-										Г			r	† ·	-		-	+	+	T
Purple Sandpiper			-	-	_	-	_		_															+	
Dunlin	L		•		L														•	-	-			+	
Curlew Sandpiper [★]			-	-	-	_		•								-	+			+		-	+	+	T
Stiit Sandpiper				-		-	-		L.				•				-			-			-	-	
Buff-breasted Sandpiper	•	·	-	-		ļ.,			L.	L.					Γ.		T			1		Ţ	\vdash	\vdash	T
Ruff			₹≭	+ ×		₹3								•		-			<u> </u>		+	-	-	-	Т
Short-billed Dowitcher	•		-	•	-		-									L					•		-	-	Τ
Long-billed Dowitcher				•	-				_									E		+		-		+	
Common Snipe	2															•	•			-		-	-	-	Т
American Woodcock	B	m .	20	∞ ■	Δ.	<u> </u>	8	8	B .	m	ω.	m	ω.	Ω.	m	m	m i	m	m	m :	<u>m</u>	8	\vdash	\vdash	Π
Wilson's Phalarope		-		•		-														ψ.			-		Ī
Red-necked Phalarope		•		•					_		•		•			Γ.		-		-	-	-		-	П
Red Phalarope				-		•				•	•	•								-	-	-		-	T
																							-	-	
			_		_																-		-	-	

	Habitat	Jan	Feb	Mar	Apr	May Jun	Jun	Jul	Aug	Sep	Oct	No v	Dec
Pomarine Jaeger	ple				23				İ				ر 9
Parasitic Jaeger	ple				52			- 28	į				د ا ^ی
Long-tailed Jaeger [≭]	۵				\$	なった		-	₽	*	☆		
Great Skua	۵	I I L		⁹ ا									اي
South Polar Skua	a				28		수 수	20					
Catharacta sp.	۵					•							
Laughing Gull	emzoSl	≌¦ I	54		Ţ	01/		\8/	ľ	1			İ
Franklin's Gull	oer				8.			I	İ			Å	- _v
Little Gull	lep	 		56		- 55				:	•	!	
Black-headed Gull	del					ro.						₽' 	
Bonaparte's Gull	lerpm			Ī					İ				1
Mew (Common) Gull [★]	_	*	*										
Ring-billed Gull	emzolru												
Callfornia Gull [★]	ozdm	자꾸 꾸						*	*	ţī.	*	₹X	
Herring Gull	eoziSrmp				715			26					
Yellow-legged Gull [★]	z	*	··· \$	*									
Thayer's Gull	zeplo	SAN SAN SAN SAN SAN SAN SAN SAN SAN SAN		存行	☆	₽		₹				∤ t	なな
Iceland (Kumlien's) Gull	zepio			ĺ	 -				;	•		į	
Lesser Black-backed Gull	zeloprm					2			18				
Glaucous Gull	zelop			i I	 -	٠ ٤	· •	; , v	v			į	
Great Black-backed Gull	eoziSp				21/		21						


	Ga	A	Al Wa Fr Ca Mo Ho Ba	- ŗ	C	MoF	- 우	3a +	-la	- E	- GA	Ha Ce PGAA Ct Ch SM Ke OA Cn	_ <u>\frac{1}{27}</u>	- S	$\frac{\Sigma}{\Delta}$	O	AC.		TaD	<u> </u>		Do Wi So Wo Pe	o Pé	4)	MD
Pomarine Jaeger	₹					*		₹			-			_	_	\vdash	_		_						
Parasitic Jaeger						*		₹3				-	_						•						
Long-talled Jaeger [≭]													_	_	_				_		_	_		+	
Great Skua													-		\vdash	-	_		-				-		-
South Polar Skua [☆]							-		-	-	-	_	-	-	-		_		_		-		_	- ₹3	-
Skua sp.													_	_	-	\vdash			_	_	-	_		١.	-
Laughing Gull		\$		•									-		I		-	-	I	m			m •		<u> </u>
Franklin's Gull					_			•	•	•		-	_		-		_		_						
Little Gull									•	•						•									
Black-headed Gull										Е	•		L		•						-				
Bonaparte's Gull				E		-		-				-	-	-		-	—	-	-	-	-	-	H	-	_
Mew (Common) Gull [★]									*	*			-		-	_	-	-		_	_	_	_	-	
Ring-billed Gull								-	-	-		_		_											-
California Gull [★]						\$		₹2	₹≭	₹2		*	-	-	-	-				_	-		₹3	_	_
Herring Gull								20		-									I	∞ ■		₽	മ		
Yellow-legged Gull [★]						→	₹	-			-	-	\vdash	-	-	-		_		_	-	\vdash		-	-
Thayer's Gull [™]				₹4	~ ₹≇	₹4	₹	₹:	-₹3	☆	₹3	₹3	☆	_		_					₹≭	_		₹:	_
Iceland (Kumilen's) Gull				•	•		•											•						L	_
Lesser Black-backed Gull							_					-								-					
Glaucous Guil				•	-									-			•	-		-		•			
Greater Black-backed Gull								ω .				ω .		-			-	-		Ω .		m ■	ω.		\vdash

	Habitat	Jan	Feb	Mar	Apr	May Jun	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Black-legged Kittiwake	ple						ഹ			26			
Ross' Gull*	0			m.	24 *								
Sabine's Gull [★]	eod				4	*							
Gull-billed Tern	oe 0				o e	/15		/8/		 	۲ ۳۷		
Casplan Tern	eotr			<u>.</u>					ł			- 5e	
Royal Tern	eOtl			21		/15		(29
Sandwich Tern	Olte					4.	12	<		:	ဖ္း		
Roseate Tern [★]	Old				30		/10	₹	30	0-			
Common Tern	eOlp			50.		6/	8	3	۶\				٥.
Arctic Tern*	plor					6 contract sate	\$	ţz.	k				
Forster's Tern	eSolr		:	I		1/		\82					
Least Tern	EO				12	/18			12/	1	28		
Bridled Tern	ā								ω:	. [‡] 26			
Sooty Tern [★]	0					٠				6 ★ \$7\$	⊬ *		
Black Tern	esripq				24		 				9.		
Black Skimmer	EO		•	•	8	/15		6				7	6
Dovekle	ā			20								₽. •	
Common Murre [∺]	۵	存存	存存	্য									ţŢ.
Thick-billed Murre [★]	lď	口	각	存存存	,							*	
Razorbill	ld			Ī	4•	•						× × ×	I I
Atlantic Puffin	۵	٤	: -		٤	. 25							φ•

	Ga Al	Wa	L.	СаМоНоВа	유		НаСе	CePGAA		Ct Ch SM Ke QA Cn Ta	S	Ke	_ <u>S</u>	F.		Š	No.	Do Wi So Wo Pe	MD
Black-legged Kittiwake						*	*		₹3	*		₹2			 *		_		
Ross's Gull★			i			4													
Sabine's Gull *									+					_		-		*	
Gull-billed Tern						*			-		L.							m	
Casplan Tern	15			L								-						•	
Royal Tern						10	-		-				-		B		-	8	
Sandwich Tern	-					k			-			₹3					•	ω ■	
Roseate Tern*						₹ 3									₩			▼	
Common Tern			•	-	•	ω.		-			I		m =		m I		ω 1		
Arctic Tern*		47							_									★	
Forster's Tern			E			-		-	-				-	100		-	ω	m .	
Least Tern	7,7	\$	4	23		B	0		m m	m =	m I	ω	m		8		m =		
Bridled Tern							-							_		♦	,		
Sooty Tern ★						+			4	-			-		1 4	` }			
Black Tern	-		L			_								-					
Black Skimmer	-					٠.	-	·			_		-		BO 1		m ■	8	_
Dovekie						₽				- 43			-		♦	\$		-	
Common Murre [☆]	16			_							-							₹2	
Thick-billed Murre★				*			*												
Razorbill															 				
Atlantic Puffin						_	_								_				

	Habitat Jan	Jan	Feb	Mar	Apr	May Jun	Jun	Jul	Aug	Sep	Oct	No V	Dec
Rock Dove	UGm	72											~
White-winged Dove*	m b			*			4					,	
N Contract of the contract of	O OW		140								150	_	
PAOD BILLIPONI	504		1										
Passenger Pigeon	extinct												
Common Ground-Dove [★]	*					ţz.			\$		*	ţī.	
Carolina Parakeet	extinct												D
Black-billed Cuckoo	DW				ωį	/18		61				ç.	
Yellow-billed Cuckoo	BDW				ا ه•	(13			28			55	
Groove-billed Ani [☆]	*											₽	
Barn Owl	aGSWk			/18							É		
Eastern Screech-Owl	WDBK			8/		9)							8
Great Horned Owl	ΚD	/	27		21/			7					
Snowy Owl	oasn		:	72,							29		
Burrowing Owi*	٤					*							
Barred Owl	BD			01/		\92							
Long-eared Owl	Kn				7 - 7	2		2	٤	٤		!	
Short-eared Owl	SA			/2	i	4.	¿ >	•	¢.	٠.	أي		
Northern Saw-whet Owl	KWNX				(1)						I		
Common Nighthawk	NA				<u>9</u> .		/26	18/			i	. 7	
Chuck-will's-widow	Kw	, i			2 l	6		80			φ,		•
Whip-poor-will	WD			22	/24			13/		ĺ	1:58	•	

	G a	₹ A	× ×	正	Ca	Mo Mo	B O	a T	a Ce	۵.	GAA	ぢ	ဂ ်	SMKe	- Se	O'A'O	- L	TaD	0	Wi	o Wo	'o Pe	MD
Rock Dove	ω.	ω.	ω.	ω 🔳	ω 🔳	ω∎	m I	ω.	ω∎	ω.	ω .	ω ■	ω∎	ω 🗖	ω.■	ω.	ω	ω .	ω	ω	ω ■	ω ■	
White-winged Dove ★										-				*			-		_		- 73		
Mourning Dove	ω.	ω.	ω 🔳	ω.	ω 🔳	ω 🖿	ω.	ω■	ω	ω.	8	ω 🔳	ω ■	ω 🔳	ω.	ω.	ω.	ω.	ω ■	ω.	ლ ■	ω.	
Passenger Pigeon	×	×	×	×			×	×		Ŷ	×								-				
Common Ground-Dove★					\neg	\dashv	-	-	_	*	\ A			₹	\exists	\neg	\dashv		\dashv	-	\dashv	₹2	
Carolina Parakeet																							
Black-billed Cuckoo	ω.	ω.	ω 🔳	ω 🖿	ω	ω ■	ω 🔳	ω ■		ш __	8 L	~ □	~	<u>~ [</u>	~ L	~ [~ □	<u>~</u> □	~ [<u>د. ۲</u>	٧-	m L	
Yellow-billed Cuckoo	ω.	ω.	ω 🔳	ω 🔳	ω .	ω.■	ω	ω.■	ω		8		ω 🔳	ω 🔳	ω 🔳	ω.	ω.	ω 🔳	ω.	ω 🔳	ω.	m	
Groove-billed Ani [☆]															₹					_	_	_	
Barn Owl	B.∟	ω [ωL	m L	ωL	ω.	8 L	ω.					ω 🗖	ω∎	ω.	ω 🕨	ω -	Δ.	m	ω.	ω 📗	ω.	
Eastern Screech-Owl	8	ω.	ω .		ω.	ω	ω .	ω.	ω		8	ω	ω 🔳	ω 🔳	ω 🔳	ω	ω 🔳	m	ω.	ω 🔳	ω∎	ω	
Great Horned Owl	ω.	m	ω.		ω.	ω.	ω.■	ω ≡		8	m m		ω.	ω.■	ω.	ω 🔳	∞ ■	ω 🔳	ω	ω 🔳	ω 🔳	ω ■	
Snowy Owl		•	•	•		•	•				•		-	•	•		•	-	-	\dashv		-	
Burrowing Owl★	*																	_		• ,			
Barred Owl	B .	ω.	ω .	ω .	ω .	ω -	ω.	ω.	ω .	B	8	Δ.	ψ	ωI	m I	m	œ "	ω.	ωl	ω .	m =	ω.	
Long-eared Owl				-	•	Ι.	•	r.		-			•	•	-	-	•	•			-		
Short-eared Owl	•	•	•		-	I	•			-		•			Ĺ				I		<u>~</u> •		
Northern Saw-whet Owl	ω 🔳	•	•	•	•		•						•	L	-		-	-	•	•	-		
Common Nighthawk	ω 🔳	ω.	ω 🔳	20	-	ω■	ω.	∞ ■	ω 	8	8	ω 🔳	ω 🔳	ω 📗	ω 🔳	ω	ω 🔳	ω 🔳	ω 🔳	ω			
Chuck-will's-widow		•	•	•		-	•	ω 🔳			ω 		ω ■	ω 🔳	ω 📰	ω 🔳	ന 🔳	ω 🕨	ω 🔳	ω 🔳	ω 🔳	ω .	
Whip-poor-will	ω	ω	ω 🖿	ω ■	ω	ω 🔳	B	ω	ω				ω.	ω 🔳	ω ■	ω 📕	ω ■	m	<u>m</u>	ω 🛮	∞ ■	ω	



Piedmont CECIL THE FREE PROPERTY CARROLL HARFORD BALTIMORE KENT HOWARD Upper Chesapeake JEEN ΛERY INE'S CARQLINE PRINCE TALBOT GEORGE'S Eastern Shore CHARLES DORCHESTE WICOMICO **VORCESTE** SOMERSET Western Shore

	Habitat Jan	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	No N	Dec
Chimney Swift	UGr			14		6/		1	12/		İ	23	
Ruby-throated Hummingbird	BGW	y :		27	1	//4		***************************************	20				က÷
Rufous Hummingbird [*]	wg				*					7 [∤] ¹	r	☆	:
Rufous/Allen's Hummingbird*	wg								17		☆	\$ \$ - xxxxxx 4	29
Belted Kingfisher	RE				"								
Red-headed Woodpecker	DBv					/3	<i>\61</i>						
Red-bellied Woodpecker	BDw					/5 16/							
Yellow-bellied Sapsucker	Abnx				13	24.5	5	٤	٠ ئ	4			
Downy Woodpecker	BDW				/5	30							
Hairy Woodpecker	ВЪ				/ 16 /	/29							
Red-cockaded Woodpecker*	×			*	*	k	**			*	*	*	*
N. (Yellow-shafted) Flicker	WGBDa				81/		\92						
Pileated Woodpecker	BDK				, /18		<						
Olive-sided Flycatcher	wxn				24		의	ν			=:		
Western Wood-Pewee [☆]	W								-	tatatak 26			
Eastern Wood-Pewee	DBwK				1	121			23\	1	21		
Yellow-bellied Flycatcher	pdwn					35	o.	24			26		
Acadian Flycatcher	BD				ნ. 1	/23		E			28		
Alder Flycatcher	Χw				58		12 21			21	6		
Willow Flycatcher	*					-	/4 27			İ	. 2		

										-	-										-	-	-
	Ga	A <	WaF	Fr	aMo	Но	Ва	На (CeF	PGAA	AC	<u>c</u>	hSN	Ct ChSMKe	QA	QACn	Та	Po	Σ	SoWo	No P	ø	Σ
Chimney Swift	ω.	m	ω	ω				ω.	ω I	ω.	∞ ■	ω ∎					ω.	ω.	മ	∞ .	<u></u>	-	
Ruby-throated Hummingbird	B	ω	ω.	ω •	8	a	ω.	ω	ω.	ω 🛚	ω.	ω.	ω.	00	8	∞ ■	00	ω .	ω	ω,	<u> </u>		-
Rufous Hummingbird*				*					₹	*	_	₹3							₹		₹		-
Rufous/Allen's Hummingbird*				 - *		₹				₽	_	-	-	1			3				4 3		-
Belted Kingfisher	ω .	ω .	∞ ■	ω	8	ω 		ω 🖿	ω.	00	ω	ω ■		<u>a</u>	ω	∞ ■	<u> </u>	∞ ■	∞ ■	ω.	<u>a</u>	•	-
Red-headed Woodpecker	80 L	- 10	<u> </u>	60				60 L	ω	B	ω ■	۵L					<u>a</u>	ω	m	m	ω.	-	-
Red-bellied Woodpecker	n	ω .	ω	ω	8		B	ω.	ω.	ω 🔳	∞ ■	ω.	ω.		8	∞ ■	ω.	ω μ	ω.	<u> </u>	0		
Yellow-bellied Sapsucker	I								-	_	-												
Downy Woodpecker	ω 	œ =	m	ω 	80		ω 🔳	ΔΩ 🞆	<u>a</u>	ω	ω III						∞ ■	∞ ■	∞ ■	ω 🔳	ω.		
Hairy Woodpecker	m	ω	ω.	ω.	8	8		∞ ■	∞ ■	∞ ■	ω	ω ■	m .	Δ.	8	ω.	ω.	ω	ω	ω.	Δ.	-	
Red-cockaded Woodpecker [★]		1							<u> </u>	₹3	-							エナ		-	-	_	-
N. (Yellow-shafted) Flicker	ω.■	a	60	∞ ■	8			ω 🔳	ω ■	_თ ■	ω ■		ω	B	œ .		ω.	∞ ■	60	∞ ■	0	-	<u> </u>
Pileated Woodpecker	<u>m</u>	0	ω 🔳	ω 	ω.	ω 	ω 📕	ω 📰	ω 🖿	ω 🖿	ω ■	a				∞ ■	ω.	ω ■	ω ■	∞ ■	20	_	
Olive-sided Flycatcher	L	L	-	-					•	•	•							-		-	-		_
Western Wood-Pewee [™]																			-		₹:	-	
Eastern Wood-Pewee	ω	œ 	ω.	20	8	<u>ш</u> .	m	ω.	ω∎	ω	ω.	∞ ■	∞.	60	ω.	ω.	∞ ■	∞ ■	∞ ■	ω ■	ω .	_	\vdash
Yellow-bellied Flycatcher							L										L			-	-		
Acadian Flycatcher	m I	ω 🔳	۵۵ 🖿	Θ.	8	ω.	∞ ■	ω	ω ■	ω ■	∞ ■	ლ ■	ω.	ω.	ω 	∞ ■	∞ ■	∞ ■	∞ =	∞ ■	∞ ■	_	
Alder Flycatcher	ω		•	•			c. [•		L										-	-	-	-
Willow Flycatcher	m	ω .	ω ■	ω .	8	ω	CD	ω.■	∞ ■	m C		<u>m</u> [(C-		•	L	•	•	-	<u>aa</u> L	_	-
		Į					1		1			-					-	-			-	-	1

	Habitat	Jan	Feb	Mar	Apr	May Jun	Jun	Jul	Aug	Sep	Oct	No No	Dec
Least Flycatcher	Dw				61	61/	6					-	
Hammond's Flycatcher [★]	*										*		
Eastern Phoebe	RGW			1	/25			27/					
Vermillon Flycatcher [★]	*									*			
Ash-throated Flycatcher*	*	ო∜										25 *	22 * * £ £ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$
Great Crested Flycatcher	BDKW				6.	81/		15/				18	
Western Kingbird	Wa					50	:		21				8
Eastern Kingbird	WGa			12	Ī	/21	2	22			21		:
Gray Kingbird [★]	*					*	*	な					
Scissor-tailed Flycatcher*	aw				公公	* *	×	*	\$		*		
Fork-tailed Flycatcher★	>									*			
Horned Lark	MO			6/3			9	9					
Purple Martin	Gre		o =	!		/14		16			123		
Tree Swallow	rSAe		है। 				ģ						
N. Rough-winged Swallow	REc	y		9·		/13	12/						:
Bank Swallow	Rec			29		717	23		•			1.	
Cliff Swallow	RGe			27	1	/22		16			₩.		
Barn Swallow	GEra	v :	24	1		11		4				: .	* : xx : : : : : : : : : : : : : : : : :
Blue Jay	DKGv				8/			30/			V		
American Crow	waDKzm			/13		20/							
Fish Crow	wesKDzm				30		8		Î				

																						_			
	Ga	A V	WaF	Fr	CaM	МоНо	B	аНа	Ce	\cap	GAA	ರ	<u>ප</u>	S	Ch SM Ke	Ø	ر ت	La	Do Wi	Š	So	WoP	0	Σ	Ω
Least Flycatcher	ω ■	ω ■	ω =	ω ■		~_	IL	I		I						L		L						-	
Hammond's Flycatcher [★]							_			_												1		-	
Eastern Phoebe	ω 🔳	ω 🔳	ω ■	ω .	ω.	<u>a</u>	ω ■	ω.	8	8	ω	<u>m</u>	m	ω.	ω	Δ.	ω.	Δ.	ω 1	m I	ω.	<u>m</u> 1	-		
Vermilion Flycatcher★						-																1	+	\vdash	
Ash-throated Flycatcher [★]				77		-		+		*	<u></u>			\					*			K	+	\vdash	T
Great Crested Flycatcher	ω	ω.	ω.	ω.	ω∎	മ ■	∞ ■	ω.	8	m	8	m I	ω.		ω 1	Δ.	ω .	ω.	<u> </u>	<u></u>	0	m	╁	\vdash	Г
Western Kingbird	₹3	₹3		_			_		_													L	-		
Eastern Kingbird	ω	ω 🔳	∞ ■	∞ ∎	ω.	ω ∎	ω ■	Δ.	8	m l	ω.	ω.	m	0	0	ω .	ω ,	ω.	ω II	ω	ω.	m	+		
Gray Kingbird [★]			-		_	_	_	_			*			L.								+	-		
Scissor-tailed Flycatcher [★]			*	*		\$7				€								*	*			₹	╁	-	
Fork-tailed Flycatcher*					_	_												1					┢	╁	T
Horned Lark	ωI	ω.	മ ■	ω.	ω ■												ω 1	ω.	ω ⊪	m	ω 1	m	+	+-	T
Purple Martin	ω 📗	ω_	ω 🔳	ω 🔳	ω _												Ω	m I	a	Δ .	ω.	8	-		T
Tree Swallow	ω 🔳	ω.	ω 🔳	∞ ■	ω.	ω ■	ω	ω	ω	ω	m	ω.	Δ.	Δ.	ω .	ω .	ω.	Δ.	ω.	Δ.	ω .	Δ.	-	\vdash	Т
N.Rough-winged Swallow	m I	ω =	ω ■	Ω.	- 20 ■												ω	8	ω	ω.	ω 1	<u> </u>	-		T
Bank Swallow		<u> </u>	I	-													8	Δ.	Δ.		•	0	-	┝	
Cliff Swallow	m I	ω	ω 📰	I	ω _	ω												C	L		L			-	
Barn Swallow	ω ■	ω	ω .	Δ	ω ■												ω ∎	ω ∎	ω .	ω .	ω 1	ω.	-		
Blue Jay	m =	ω.	ω ■	ω∎	ω.												ω .	Δ.	ω "	ω .	m I	ω .			
American Crow	Δ ■	ω	ω 🔳	ω 🔳	മ ■							ш :	a	ω .	ω ■	ω .	ω 🔳	ω.	ω :	Δ .	m	Δ.			
Fish Crow	8	0	8	۵.	60									İ			ω.	Δ.	ω	ω .	ω .	ω		-	

	Habitat	Jan	Feb	Mar	Apr	May	Jul	Jul	Aug	Sep	Oct	Nov	Dec
Common Bayon	à		/23	23									
							6						
Black-capped Chickadee	DNWK				//								İ
Carolina Chickadee	DKWGB	1			715		و\						
Boreal Chickadee*	WU	*			N _*	m —					_	N N	** *
Tufted Titmouse	BDWGK				/14		100				2		
Red-breasted Nuthatch	ĸN			-		- 56 - 26	1	1	١		I	İ	
White-breasted Nuthatch	DBw												
Brown-headed Nuthatch	×				/15								
Brown Creeper	BDk												
Rock Wren [★]	W										*		
Carolina Wren	WGB			121						12/		3	
Bewick's Wren [★]	GW		•		8	/30	26		:	:		3	•
House Wren	GW	İ		N.		6/			و\				
Winter Wren	Npq					20				4			
Sedge Wren	SFa						,——	25 12					
Marsh Wren	FS					7.3			1	ç			
Golden-crowned Kinglet	KdbwN					13/2			,				
Ruby-crowned Kinglet	wbkd			I		5	=1		<u>-</u> :		23		
Blue-gray Gnatcatcher	BDw	:	۸	0N V	//		8				3 -	-	İ
Northern Wheatear [★]	ō									*			
Eastern Bluebird	CAW			715						5\			

	Ga	Al Wa		Ţ.	a	СаМоНо		Bal	Ha	Se	PG/	GAA	ぢ	ChSMKe	Σ		QAO	S L	Ta	Do	× ×	SoV	o Wo	Pe		MD
Common Raven	ω	m •	m ■	ω	红	₹≭	\$2	32	32		₹¤			₹	\vdash		₹				\Box					
Black-capped Chickadee	m	m I	ω	m					4		-		•	-	-		-	-	- 1	- (-	• 6	• (
Carolina Chickadee		~	ω 🔳	m =	ω.	m =	m m	<u> </u>	ω 🔳	m =	m	ω■	m	m	m =	m 🔳	m m	m 📕	20	m 🔳	20 🔳	n 🚆	2	\top		
Boreal Chickadee*	_	*				*		-}<				*				-	+	\dashv	-		- 1	-	1		\top	
Tufted Titmouse	m =	m I	m I	ω 🔳	ω .	ω.	ω.	ω	m I	m I	m I	m =	0	ω.	m	m	m 1	m •	m	m =	20	20	20	\top	\top	
Red-breasted Nuthatch	m I	-		2																				-		
White-breasted Nuthatch	m	m	a	m	m	ω.	m	ω.	m	m I	ω .	m .	m	ω.	<u>m</u> [m L	m =	<u>m</u> L	ω 🕨	m L	m =	ω 📕	m m			
Brown-headed Nuthatch		+	-					₹					ω ₹	₹	ω .	₹3	<u>m</u>	m [_	ω 🔳	ω 🔳	ω 🔳	ω 🔳	ω 🔳			
Brown Creeper	m I	ω I	ω∎	ω I	m 1	m .	m m	<u>m</u>	m =	m =	m •	ω.	ω.	m =	ω.						m ·	ω 🖷	ω ■			
Rock Wren★																			\dashv				*			1
Carolina Wren	ω ∎	m •	ω∎	m	m 🔳	ω ■	ω .	ω ■	ω .	Δ.	ω ■	m II	m m	ω 🔳	m I	m I	0	m I	<u>m</u>	m =	ω =	ω 🔳	m 📕			
Bewick's Wren [★]	*	Ξ×	m ∤¢	Ι×	Ξ¥	*	Ξ*	*			*						7	*	- 0	(,	C	- X C			
House Wren	ω 	m	ω.	ω ■	ω ■	Δ.	ω 🔳	ω.	m =	ω .	m =	ω 🔳	ω 🔳	m I	m I	20	20 🔳	m	2	a	2	2	0			
Winter Wren	ω ■																									
Sedge Wren	ш •	-	-	•		•	-				•		딕		E L	-	1	1	-	Δ 🛄	• 0		n 🕶 🗅			
Marsh Wren	•	-	•	m □	.	B	Ч	ლ ■	ω 🗷	ω	m =	ω	m =	ω 🔳	m 🔳	m 🔳	m =	20 🔳	20	m =	0		0			
Golden-crowned Kinglet	ω ■				m =																					
Ruby-crowned Kinglet	-	-																								
Blue-gray Gnatcatcher	m =	ω	B	മ ■	ω	m I	ω ■	m =	m =	m I	ω ■	m =	m I	m =	m	m =	m =	m 🖷	<u> </u>	m m		m 02				
Northern Wheatear ★															*		\dashv	_								
Eastern Bluebird	ω.	ω.	m I	Δ .	Ω I	B	ω 🖪	ω .	Δ.	В	m I	m .	<u></u>	Δ	©	0	m 1	m =	20	20	n	n	n			

	Habitat Jan	Jan	Feb	Mar	Apr	May Jun	Jun	Jul	Aug	Sep	Oct	No.	Dec
Mountain Bluebird [★]	Б												*
Townsend's Solitaire [☆]	*			: \$4	₽				;				
Veery	Ob					71/	13/		2			۲.	
Gray-cheeked Thrush	wdb						ro:				J 28		
Bicknell's Thrush	wdb					5.	Φ,			5	<u>9</u> .		
Swainson's Thrush	MNdb				5	-	8/13 2	:	- 1/-			:	<u> </u>
Hermit Thrush	PKNXD				I	25/28	80	12	26				1
Wood Thrush	DB	¥			=I	1/2		29		1	ļ	21	
American Robin	GWbc			/26	بو	K			\22				G G
Varied Thrush [★]	мб	*		☆ · ☆	₩							27	*****
Gray Catbird	WGB					6/			\61	2			
Northern Mockingbird	GW				130				21/				
Sage Thrasher [★]	W										*		
Brown Thrasher	WG					/18		30/					
American Pipit	msct					28				6:	ľ		
Bohemian Waxwing [★]			*										
Cedar Waxwing	WBGD						13			6			
Northern Shrike [★]	WC		T	₽ *							2 6		* * * * * * * * * * * * * * * * * * * *
Loggerhead Shrike	Wc					14		<					
European Starling	UGmc			/25	5		///						

	Ü	A A	I Wa	a Fr	$\overline{\mathcal{O}}$	a Mo	MoHo	Ba	Ha		CePGAA	AA	ぢ	ర్	S	<u>~</u> ~	Q	Ct Ch SMKe QA Cn	_ _ _ _	Do	<u>Š</u>	Wi So		Pe		Ξ
Mountain Bluebird [★]			*	_	_		_							L									_			L
Townsend's Solitaire [™]			_				_		4								_									
Veery		ω 🔳	80	∞ ■	ω .	8	ω.	œ .	60	ω	0					ω										_
Gray-cheeked Thrush		L											L						_		_					_
Bicknell's Thrush		~	~	6.		C-		0.	~						~			6	6		6	~				_
Swainson's Thrush		I																	L	L						_
Hermit Thrush		ω.																								
Wood Thrush			ω .	∞ ■	ω.	8			6	a	ω .	ω.	0	0	m m	ω.	B		ω.		8	80	8			_
American Robin							80	8											m m				8	M		_
Varied Thrush [★]				_	_				- {}																	
Gray Catbird			53.0											L												
Northern Mockingbird		00	00	ω II	80	8	8	8	<u>ш</u>	ω l	ω	8	8	8	ω	8		8	8		80	80	8			_
Sage Thrasher*		11.71					_																			_
Brown Thrasher		0	80	∞ ■	œ .	0	ω.	8	8	0	ω.	ω 1	∞ ■	0	a	ω.	ω	8	8			<u>a</u>	œ .			
American Pipit																										
Bohemian Waxwing*					_													_			_		_*			_
Cedar Waxwing		ω .	ω 	ω ■	0	ω.	ω.	œ •	ω.	ω I	ω.	œ I	ω.	ω.	6		8	8	8		80	- CO	8			
Northern Shrike [★]		*	↑			₹	_	*		৹		₹3		₹3	42	\$2	\{\tau_{2}}		₹₹	42			*			
Loggerhead Shrike				80	80 L		· ·				I.							Ļ.								
European Starling		8	œ .			ω.		ω.	8	ω.	ω.	œ I	œ !	ω.	8		8	8	8	8		80	8			

	Habitat	Jan	Feb	Mar	Apr	Мау	Jun	Jul	Aug	Sep	Oct	No.	Dec
White-eyed Vireo	WB				7. — .	25	1/2	26	30			?	Y
Solitary Vireo	DW	:		7.0					2		22		
Yellow-throated Vireo	BD				,	6/		21/			0		
Warbling Vireo	BW				امِ	//	4 22		8		°I	o	
Philadelphia Vireo	wþ				• 7		0.					,.	
Red-eyed Vireo	DBw				=1 9	6/		γ ε		١	Î	<u>t.</u> -	
Blue-winged Warbler	Wb				<u>.</u> ;		81 12 11	67		i	3:		
Golden-winged Warbler	*				<u>.</u> 8	54	0\2/ 57	24		1			
Tennessee Warbler	qpw				3.	Ş	† ₁	1		Ş		: -	
Orange-crowned Warbler	м			i		<u>2.</u>			2	2		ç	
Nashville Warbler	wbX	•		,	<u>.</u>]	28	28/30 15		2			<u> </u>	:
Northern Parula	Bwd			2.	1	/15	\A	12			ľ	: 	:
Yellow Warbler	*	:			, I	(13	7]=			1	
Chestnut-sided Warbler	WDP				۽ اه		/28 26\	23			" -		
Magnolla Warbler	WdbNX				:		131 14 20						
Cape May Warbler	wd				ا پ		ر خ		ا و			1 º	:
Black-throated Blue Warbler	Dbn			<u>v</u> _	<u>.</u> !				16				
Yellow-rumped(Myrtle) Warbler	wkbD						Y	Y : : :	:				
Black-throated Gray Warbler*	ρM					"	ç		ç	*		5	
Black-throated Green Warbler	MpM				Ţ ! ,		7 2				İ	<u> </u>	
Blackburnlan Warbler	dbNw			ţ	₽. I	31,					! -	:• •—	
Yellow-throated Warbler	ΚB	. •		į		9							

bler Warbler Warbler Warbler B B B B B B B B B B B B B	CaMoHoBaHaCePGAACtChSMKeQACnTaDoWiSoWoPe	MD
S	8 ■	
ler Warbler B B B B B B B B B B B B B B B B B B B		
ler bler bler bler bler bler bler bler b		
ler bler bler bler bler bler bler bler b		
ler bler bler bler bler bler bler bler b		
ler bler	8 8	
Earbler B </td <td></td> <td></td>		
arbler 8 <td>L</td> <td></td>	L	
ed Warbler a a b a b a b a b c c c c c c c c c c c c		
ler a a b a b c c c c c c c c c c c c		
Warbler B B B B B B B B B B B B B B B B B B		
Warbler B B B B B B B B B		
rbler B B B B B B B B B B B B B B B B B B B		
Varbler B B B B B Warbler B B B B B B B B B B B B B B B B B B B		
Varbler B B B B B Warbler B B B B B B B B B B B B B B B B B B B		
Warbler B Warbler B Warbler B B B B B Warbler B B B B B B B B B B B B B B B B B B B		
Warbler B B B B Warbler B B B B B B B B B B B B B B B B B B B		
Warbler B B B B B B B B B B B B B B B B B B B		
Warbier B B B B B H H	*	
I a		
	œ •	

	Habitat	Jan	Feb	Mar	Apr	May Jun	Jun	Jul	Aug	Sep	Oct	> N	Dec
Pine Warbler	Kwa				(19	20/							
Prairie Warbler	3			**	1	21/		///			ļ	26	!
Palm Warbler	wac		i	1 1 1		27			۲۵.	Ţ			
Bay-breasted Warbler	dwk				28		්		ω.			28	
Blackpoll Warbler	dwbk				23			: 5:	20.			12	
Cerulean Warbler	BD				-71		01//6			i			
Black-and-white Warbler	DKB	:	Ä	δ.	-	/15	19/	24			20		I
American Redstart	BDw				7	5	_//		I			:	2
Prothonotary Warbler	æ					1)	23/				72		
Worm-eating Warbler	DK				=	1	29 \7				٦. ع		
Swainson's Warbler	BD				9	1/2	6		oe e				
Ovenbird	DKB		* Y ::		اي	1/		\91			j	- - 	
Northern Waterthrush	PwX				41		2910 1	21			30		Y ::
Louisiana Waterthrush	8		788	!	/18		/#			İ			•
Kentucky Warbler	ВД				9	116		31		i	ហ៖		
Connecticut Warbler	wpq					ימי ו	N=		21				
Mourning Warbler	Wbdx					2 /2	1					c4.	
Common Yellowthroat	FW			25		14		A					
Hooded Warbler	DB				!	121		30/			90		
Wilson's Warbler	dw	;			26		안.		5. 		26		
Canada Warbler	NXQq				δį		28 18/19				29	o-	
Yellow-breasted Chat	W			>	01	/22		\61				İ	

											C m m	Ta	0 0 0 0	တိ	M M M	Ф	<u>B</u>
												∞ ■ ∞ ■				• •	H
												ω ■					_
																•	
														_	_	-	+-
											٦					†	+
											L					_	╁
				6 6 6 6 6				w w w			m	0	- m 1	- 60	ω.		+
				60 6 6				ω.								-	
				00								8				-	-
~ X M ■ M								<u>m</u> [8	00	ω [0				-
(W	₹	7	7	-		- ₹						-					┝
ω	ω .	(CO)	20 M	<u>m</u>	0	0	<u>a</u>	m	0	8	ω,	0	@ [+
20 🚪				00				0		8		0					-
Kentucky Warbier B B B	8	œ "	8	ω.	8		0	0	m	8	Δ .	ш	ω ,	8	80		-
L																_	+
				T						L		-				Ι.	\vdash
m		ω.		ω.						œ œ	m I	6				-	
Hooded Warbier B B B	8	0	0	0		8	ω)	0	0					8	00	-	+
L				L								-				+	1
Canada Warbler				-								-					-
	8	00	8	100	8	8	8	80	80	8	80	8		8	60	\vdash	┝

	Habitat	Jan	Feb	Mar	Apr	Мау	Jun	Jul	Aug	Sep	Oct	> N N	Dec
Summer Tanager	ΚD				9	/24	4	13/			28		
Scarlet Tanager	BD				4	115		<				4.	*
Western Tanager [★]	wg				4年 : ☆	\$					*		なな
Northern Cardinal	WGa				8/			W.	18				
Rose-breasted Grosbeak	Dwb	0000			 	*	2711/13		16			3	::::
Black-headed Grosbeak [≅]	0	存在	· प्रत		4 20		Ī				추 ·	부	: : :
Blue Grosbeak	Wa				1	5			es.			23	
Lazull Bunting*	Ō	*		:	*								
Indigo Bunting	Wa			56	1	124	*		19/			<u>دِ</u> :	•
Painted Bunting*	wg	*	* *	☆*…*・・★・★・		tr tr			¥			*	* * *
Dickcissel	Hg	<u>.</u>				1	(4 15)					i	
Eastern Towhee	WDK			4	/22				16\				
Bachman's Sparrow [★]	ΚW	*			29	29 20 2 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	女位. 4	44	☆				¥
American Tree Sparrow	awfg				8:						₽.		
Chipping Sparrow	αw			Ī	/14				2				Ī
Clay-colored Sparrow	wa		^		<u></u> <u>ب</u> ۷	>1.>==17						61	1
Field Sparrow	WA				121		N.		25/				
Vesper Sparrow	Ψ				1	/2							
Lark Sparrow	wA		:		V	^	V .	17			12:		Ä
Lark Bunting [☆]	whg				1	位位		ta .	4	☆	☆	÷	\$ · · \$
Savannah Sparrow	CHaOm					12	2	6	8				

	Ga	AI	Wa	Fr C	SaMe	· lo Ho	B	a Ha	<u> </u>	<u> </u>	e PGAA		Ct Ch SMKe	Σ	e e	QAC	in Ta			<u>;;</u>	Do Wi So Wo	Ре	M
Summer Tanager	•			I.	-	6 0 C							<u>m</u>	ω.	m =	<u>m</u>	<u>m</u>	ლ ■	<u>m</u>				
Scarlet Tanager	ω	∞ ■	Ω.		<u>a</u>	@	ω	8	ω ■	ω .	ω	∞ ■	ω ■	Δ.	<u>m</u>	ω ∎	ლ.■	ω.	m	m I	m .	·	
Western Tanager [★]						- ₹≭					₹:					-	-	-		_	*		
Northern Cardinal	œ .		m I		m I	∞ ■	∞ ■		8	8		ω.	m	ω.	∞ ■	∞ ■	m I	6	ω∎	0	8		
Rose-breasted Grosbeak		I		I				0				I				-	-			-			
Black-headed Grosbeak [™]						₹3				4					-	-	-	-	\vdash	-	_		
Blue Grosbeak		m [ω	∞ ■	CD	ω ■	<u> </u>	ω.	B .	ω	ω μ	ω	ω.	m =	m	ω ∎	ω 🛮	ω.	∞ ■	ω ∎	ω.	00	
Lazull Bunting*						-	-	- ₹										-					
Indigo Bunting	ω.	∞ ■	ω.	ω	<u>m</u>	ω .	m I		ω.	m	m	m	<u>m</u>	m I	∞ ■	ω μ	∞ ∎	∞ ■	m I	ლ ∎	m .	0	
Painted Bunting [★]						44								*	₹2	-				-	*		
Dickclssel	•	•			a [B L	ェ・			m L				c- [m L	ω •	В.	m •	C- 1	-			
Eastern Towhee	ω.■		ω .	œ •	m	ω 🔳	ω	8	B		ω ∎	ω 🏾	m I	m 1	60	m m	0	∞ ■	∞ ■	ω ■	0	m =	
Bachman's Sparrow [★]	*	I*				I *	*			T *			6		-	-	_		*		-		
American Tree Sparrow					-	-	-							L		-							
Chipping Sparrow	8	8	Ω	ω 📕	œ .	a	ω ■	8	8	m	ω ■	m	ω ■	m I	œ =	m I	m	ω.	m ■	m I	m .		
Clay-colored Sparrow					-				_	L.				-	-		_	\vdash	-	-			
Field Sparrow	8		ω 📕	ω ■	∞ ■	m I	∞ ■	ш ш	8	m	_	മ ■	m .	m	m 1	ω.	00	ω.	m I	∞ ■	B		
Vesper Sparrow	ω .	m =			<u> </u>	m ■	∞ ■							L	m L	m L	m L	<u>m</u> L	m L	(m) [
Lark Sparrow	I	₹≭		-			•			•	•	•	-	-	-	-	-	-	-		.		
Lark Bunting [☆]										42				_	₹	-	<		₹		-		
Savannah Sparrow	a	ω 🔳	ω	20	ω \	en 🕨	I	I			I										I		

	Habitat	Jan	Feb	Mar	Apr,	May Jun		Jul	Aug	Sep	Oct	No.	Dec
Baird's Sparrow [™]	М										公		
Grasshopper Sparrow	HAC		:	17.		/ 15			6		29	i	:
Henslow's Sparrow	4	•		9		/12	\97				:	24:	•
Le Conte's Sparrow [★]	s a		÷ ;		- な.						*	☆	☆
Saltmarsh Sharp-tailed Spar.	S		1		0	/ 14			21/			m	
Nelson's Sharp-talled Spar.	sfa	٥	٤	ć		715				21.		6	
Seaside Sparrow	S				9	116	30				9		
Fox Sparrow	wkb			İ	:-13	τ <u>.</u>				88.			
Song Sparrow	GAWF		Ì	ľ	21/				<i>₹</i> 2				
Lincoln's Sparrow	wax		1	:	I		თ,		25	Ī		28	
Swamp Sparrow	FXsa	Į,					(5 22)		5				
White-throated Sparrow	dgw					29	İ	:		1			
White-crowned Sparrow	Was					27				21			
Harris' Sparrow★	wag	4	· · · · · · · · · · · · · · · · · · ·	☆	4	6*****					12 27		☆☆
Dark-eyed Junco	Wdxgh		N		A	/18 30	0	20)		2	1		
Lapland Longspur	шсо										5.		
Smith's Longspur☆	0	\$.										*	
Chestnut-collared Longspur [★]	0								*		14		
Snow Bunting	шо			i							€.		
Bobolink	Ì				41		/20	6	Ī	İ		. 58	*
Red-winged Blackbird	FSHAm		ij	Ä	"	/28			<i>\f</i>				

	Ga	4	٧	F.	Ca	Mol	운	ВаН	la C	Φ	PGAA	A Ct	<u> </u>	Ch SM Ke	X	Q A	ű	₽	Do	Ĭ	SoWo		P	M
Baird's Sparrow [☆]					\vdash	-	-	\vdash	\vdash	\vdash	\vdash	-	-	_	_							13	\dagger	+
Grasshopper Sparrow	ω	ω 🔳	ω.	ω 🔳	ω	Δ.	ω ■	ω ■	ω	m I	თ ■		ω			m .	8	m I		ω	m 1	<u> </u>	+	-
Henslow's Sparrow	ω	m	•	-	m =	Ξ.		I.	-	├-	Ι.	I .	<u>_</u>	Ţ,	I		I		I		I	I		-
Le Conte's Sparrow [★]							1	-	-	-		-	-									-	+	
Saltmarsh Sharp-tailed Spar.				-		-		-	-	-	-	I	I		I	1	I	I	m I	m l	<u>a</u>	<u> </u>		+
Nelson's Sharp-tailed Spar.	-{:	₹3					-	-	-	~								2			"	亇	T	+
Seaside Sparrow								<u>m</u>	-	•		ω.	m	m	0			m I	m	ω.	m	Δ.		
Fox Sparrow	-				-			-	-				<u></u>							7			\vdash	+-
Song Sparrow	m	ω 1	Ω.	Δ	<u>m</u>	ω 1	<u>m</u>	m I	m =	m	m	ω.	0	m	m	m m	m	m	m I	Δ.	ω.	<u>m</u>	+	+
Lincoln's Sparrow			L			E		L	-										L		Ĺ			-
Swamp Sparrow	ω 🔳			ω .	ω .	ω ■	-	ω ■	-	I	m I	<u>a</u>	m 1	Δ.	8	8		m]	I	1	1	h		┢
White-throated Sparrow	_													L									+	\vdash
White-crowned Sparrow		-																					+	1
Harris' Sparrow [★]	₹2	- ₹2	₹		₹	-	₹		-		3	- ₹			,	3	~		1		+		+	
Dark-eyed Junco	ω							-				-					Ž		•	1	1		+	
Lapland Longspur	-	\vdash	•	-	L	-	ŀ	-	I.	-	Ļ.	-	L.		_]						T	\dagger	╁
Smith's Longspur [☆]				-	-	-		-	-	-	-	_	-	_								- 3	-	╁
Chestnut-collared Longspur [★]					-	-			-		-	7	_	-								z -1	-	\vdash
Snow Bunting	•	•	•	-	•			-	L		-			_		<u> </u>				'	1			-
Bobolink	ω	ω 🔳		ω 🖿	m .		-			m I									•				-	-
Red-winged Blackbird	m ■	Δ	Δ.	Δ.	ά 💂	ω .	ω .	60	Δ.	ω	ω		ω.	<u> </u>	0	8	ω	ω.	m	Δ.	m I	ω	-	

	Habitat	Jan	Feb	Mar	Apr	Мау	Jun	Jul	Aug	Sep	Oct	> ON	Dec
Eastern Meadowlark	HSCA					8/			16		ı		
Yellow-headed Blackbird	шс	1	i		:	<u>m</u>			2	:	i	1	į
Rusty Blackbird	þţ					1 24				-			
Brewer's Blackbird	mcs	i	1	1	1	0,					77.	1	İ
Boat-talled Grackle	S				/54			6					
Common Grackle	mDGWc			1	/27				\91				
Brown-headed Cowbird	DWBKc				111			28					
Orchard Orlole	*	¥ :			<u>;</u>	E1/	07	14			23		
Baltimore Orlole	BGW		i	1	 	Ol I	10 15				72		
Bullock's Oriole [★]	*	\$	25							*		☆	
Pine Grosbeak*	*	な神	位	21 21 mar								6 x to matter to	4 好你
Purple Finch	pqNg	+	1			29	29/30 7		19				1
House Finch	wns.				"		16			Ġ			
Red Crossbill	돳			1		1			• V		į		į_
White-winged Crossbill [★]	nk					/			8		-		
Common Redpoll	ag		1		1	ω.					26	!	į.
Hoary Redpoll [★]	es Da	每一	平 每 一 年 五 五 五 五 五 五 五 五 五 五 五 五 五 五 五 五 五 五	- 日	- N					ç			
Pine Siskin	gNbv	T		-		23	1	i	~	Z:	Ī	-	
American Goldfinch	WGAv		I	1	ļ			11/	I	7.7	I	8	
Evening Grosbeak	gup	*		-		i	, ,			9.			Į
House Sparrow	UGC				/29				1				

	Q.	Al Wa	Na	F	Sa	Fr Ca Mo Ho	<u> </u>	a T	Ø	e P(CePGAA	5	ည်	SR	Ct ChSMKeQA	QA	ပ်	Та	Do	Do Wi So Wo	So	No Pe		MD
Eastern Meadowlark	m =	ω =	ω 🔳	ω 🔳	ω .	ω.	ω	ω.	ლ ■	ω.■	ω.	B B	ω	ω.	ω	ω 🔳	B =	ω 🕨	ω ■	ω 🔳	ω ■	m I		
Yeilow-headed Blackbird	-{:0	40		•		•		-		_				•	•	•	•	-	•	•	•	-		
Rusty Blackbird																			-					
Brewer's Blackbird	₹<	₹#		•		•	•	-		-								•	7		-			
Boat-talled Grackle								₹2		\vdash			•	2				ω _	ω.	ω.	ω .	ω .		_
Common Grackie	@ 	m	<u>m</u>]	ω 🔳	m I	ω .	ω	ლ ■	ω .	ω.	8								ω ■	യ ■	ω ■	m		
Brown-headed Cowbird	m .	m .	m I	ω	ω 📗	m	ლ ■	ლ ■	ლ ■	ω									ω ■	ω.	ω ■			
Orchard Orlole	<u> </u>	ω 🔳	ω 🔳		ω.	ω .	ω	ω	ω	ω	60	8	m	80	ω	ω 📕	ω ■	m	മ	ω ■	ω 🔳	m =		
Baltlmore Orioie	ω	Δ	ω ■	ω 🔳	ω ■	ω 🔳	ლ ■	ω.	m =	ω									m	ω ■	m =	m .		
Bullock's Oriole [★]												₹:							*					
Pine Grosbeak [≭]	*	₹	*	*		₹	₹	*	**		r X	吞					₹		₹		₹	*	1	
Purple Finch	m I		100																		,			
House Finch	ω 📕	ω 🔳	ω 🔳	ω ■	ω.	m I	ω.	m .	ω .	ω	ω	∞	ω	Δ	m	ω 📠	ω ■	m	ω ■	₩.	ω ■	m =		
Red Crossbill	-	•	•	•	-	•	•	•		-	•			_	•	•	•	•	•	•	•	•		
White-winged Crossbill [★]	*	₹3	₹	*	₹2	*	₹	*	*	₩	-/×	्र • ×	K.	*	₹# •	₹3	₹2	₹	₹	₹		₹	_	
Common Redpoll	•	•	-	•	•	-	•	•					•	-	, a	•		•		-		•		
Hoary Redpoll [★]		₩	₩		₩	₹	*	₹	47		. "	- ₹≭										*		
Pine Siskin	ω■			Ч		L														Ч			_	
American Goldfinch	ω ■	m m	ω.	Δ 🔳	m II	m	∞ ■	ω ■	ω ■	ω.	Δ.	8	m	m =	ω -	ω -	m =	m =	യ ■	m =	m =	m I	_	
Evening Grosbeak			L		7		L	딕													-			
House Sparrow	m]	ω .	m 🔳	m .	m =	m =	m I	ω •	m •	<u>m</u>	m	ω .	ω I	8	Δ.	m 1	m	m I	m .	80	80	ω.	_	
														ĺ									ĺ	

APPENDIX 1	Habitat Jan	Jan	Feb	Mar	Apr	May Jun		ا ا	Aug	Sep	Oct	No N	Dec
Canada Goose: "small races"				•	20					24		7	İ
Eastern Willet	Sot	~		16	r ⁱ					~ ا	~	ئة ~	~
Western Willet	ots .	~	~	٥.	~	:	6.					6	~
Brewster's Warbler	Wb				25		-		- ا≠ ا	ţ.			
Lawrence's Warbler	Wb				£2.				-	٥.			
Western Palm Warbler	wa				0 0 1	127			ဝင်				
Yellow Palm Warbler	pqw] : 		-	ت د			12				
Audubon's Warbler ☆	3		8 ₹										58
Ipswich Sparrow	0				ι Ω.							6.	
Oregon/Pink-sided Junco [★]	dwbg	かな様心	場・台・公園や・サキなか	*心态 态	84 48						20 公子	(AC)	李 静 ☆
													_
												_	

M		Γ				Τ				T		Τ	Τ	T			Γ			
	T					T											T			
Pe	T					T						T	T			Т				
8		- ₹	m			1				(Z	₹					\vdash				
So	T	3	m I			T							1	\dagger	\dagger					
\$			201			1					₹	-	\dagger	+	-		\vdash		-	-
Do Wi So Wo Pe		₹	m)			T					R C	l	$^{+}$		\dagger		\vdash			
H G	r	₹	മ			†						T	T							
S C											+			\top						
δ			@ 1																	
× e			L				1				• ₹									
S			ω.			_											Г			
CePGAA Ct ChSMKeQACn Ta																				
_ 5		\$																		
A A										-	•									
PG		₽	•		•						*									
Ce			,		_ '															
H	L.										*									
СаМоНоВа		\$		'	В.						₹:									
유	Γ.										☆									
δ			2	6	•			•			₹3									
正						L.														
AI Wa	L.										\$									
				•	I.	I.					\$									
G				2		L.					☆									
APPENDIX 1	Canada Goose: "small races"	Eurasian Green-winged Teal*	Eastern Willet	Western Willet	Brewster's Warbler	Lawrence's Warbler	Western Palm Warbler	Yellow Palm Warbler	Audubon's Warbler [™]	Ipswich Sparrow	Oregon/Pink-sided Junco [★]									

Appendix 2. : Hollow Stars

Hollow stars represent reports which require review and acceptance by MD/DCRC before they are officially included into the record of Maryland birds. Solid Stars indicate reports which have been reviewed and accepted by MD/DCRC. Hollow Stars indicate reports which have either not been reviewed or have not been accepted by MD/DCRC. The following list is of the specific reports reviewed and not accepted by MD/DCRC but included in this publication.

Anhinga:	09/02/78	Ta. [83-06:Not Accepted] MB 34:172
Swallow-tailed Kite:	06/01/79	Ba. [86-07:Not Accepted] MB 35:99
Mississippi Kite	06/03/87	PG. [87-30:Not Accepted] MB 43:98
Curlew Sandpiper:	05/02/59	Wo.[83-18:Not Accepted] MB 15:51
Roseate Tern:	04/12/77	Ba. [85-25:Not Accepted] MB 33:124
Rufous Hummingbird:	11/08/52	Fr. [90-12:Not Accepted] MB 10:36
Red-cockaded Woodpecker:	06/22/84	SM.[89-02:Not Accepted] MBB Atlas
Northern Shrike:	01/26/91	Ho. [92-19:Not Accepted] MB 47:46
Chestnut-collared Longspur:	10/30-31/70	AA. [83-30:Not Accepted] MB 26:115

Appendix 3: Unsubstantiated Species

The MD/DCRC does not maintain a list of hypothetical species. The following species have been reported in Maryland but insufficent information has been obtained to substantiate the identification or that the bird was of wild origin. These differ from the species on the main list indicated with hollow stars. All of those on the main list have substantial documentation and are awaiting final review.

Black-capped Petrel:	06/14/80	Pe.	[83-17] MB 36:131
Trumpeter Swan:	01/25/92-02/23/92 02/21/96	Mo./Ho. Mo.	[xx218] AB 46:247 [xx394]
Barnacle Goose:	10/13/86	Wi.	[88-24][Origin Uncertain] MB 44:35
White-tailed Kite:	10/26/90	Al.	[91-29]
Gyrfalcon:	02/04-19/94	Fr.	[95-17] MB 51:85
Black-tailed Gull:	07/04-09/84	AA.	[85-16][Origin Uncertain] MB 40:98
White-winged Tern	08/06/94 08/14/94	Wo. SM.	[95-19] [95-20]
Black Guillemot:	03/11/93	AA.	[94-03][Accepted:Genus only]
Green-tailed Towhee:	01/??/69	Ba.	[xx312] MB 25:63
Spotted Towhee:	12/17/94	Mo.	[xx288]

Maryland/District of Columbia Records Committee [MD/DCRC]

The MD/DCRC was established in 1982 as a committee of the Maryland Ornithological Society [MOS]. The function of the Committee is to:

- (1) review reports of unusual sightings within its area of coverage;
- (2) determine the adequacy of documentation of such reports;
- (3) maintain a State List of Birds for Maryland;
- (4) maintain a District List of Birds for the District of Columbia;
- (5) publish periodic reports of its findings; and
- (6) maintain in a file accessible to interested persons the primary reports, the deliberations of the Committee, and, in some instances, opinions received from outside experts and/or copies of some of the relevant literature.

By these steps the Committee aims to convert reports of sightings into documented records that can be used reliably for scientific studies of bird distribution and patterns of avian vagrancy.

The MD/DCRC consists of nine-voting members, a chairman and a non-voting secretary. Voting members serve 3-year terms. The voting members review the documentation provided for each report and assess whether or not this information adequately supports the claimed identification. Reports may receive multiple circulations among committee members depending upon the number of votes to accept or not accept a given record. The Committee has a stated "Goals, Policies, Criteria for Acceptance, and Procedures" which is available from the Secretary and details the functions of the Committee.

Participation by the birding community is vital to the success of the MD/DCRC. Reports should be sent to Phil Davis, MD/DCRC Secretary, 2549 Vale Court, Davidsonville, MD 21035. The current list of reports the Committee will review is as follows:

Maryland/District of Columbia Records Committee

Review List: April 1, 1996

The MD/DC Records Committee reviews reports of birds observed in Maryland or the District of Columbia that meet any of the following criteria:

- 1. Any species observed in Maryland which is not on the Field List of the Birds of Maryland (Iliff, Ringler & Stasz, 3rd edition, 1996).
- 2. Any species observed in the District of Columbia which is not on the official District of Columbia List (DeSante and Pyle, 1986).
- 3. Any of the following species if observed in Maryland or the District of Columbia:

Western Grebe Yellow-nosed Albatross White-faced Storm-Petrel Band-rumped Storm-Petrel American White Pelican Anhinga Fregata, species Roseate Spoonbill Wood Stork Fulvous Whistling-Duck Black-bellied Whistling-Duck Cinnamon Teal Tufted Duck Barrow's Goldeneve Masked Duck Swallow-tailed Kite Mississippi Kite Swainson's Hawk Yellow Rail Corn Crake Purple Gallinule Limpkin Eskimo Curlew Long-billed Curlew

Long-tailed Jaeger South Polar Skua Mew Gull California Gull Yellow-legged Gull Ross' Gull Sabine's Gull Roseate Tern Arctic Tern Sooty Tern Common Murre Thick-billed Murre White-winged Dove Common Ground-Dove Groove-billed Ani Burrowing Owl Rufous Hummingbird Selasphorus, species Red-cockaded Woodpecker Western Wood-Pewee Hammond's Flycatcher Vermilion Flycatcher Ash-throated Flycatcher Grav Kingbird Scissor-tailed Flycatcher

Black-throated Gray Warbler
Western Tanager
Black-headed Grosbeak
Lazuli Bunting
Painted Bunting
Bachman's Sparrow
Lark Bunting
Baird's Sparrow
Le Conte's Sparrow
Harris' Sparrow
Smith's Longspur
Bullock's Oriole
Pine Grosbeak
White-winged Crossbill
Hoary Redpoll

Boreal Chickadee

Mountain Bluebird

Townsend's Solitaire

Bohemian Waxwing

Bewick's Wren Northern Wheatear

Varied Thrush

Sage Thrasher

Northern Shrike

4. Subspecies or forms of species not known to occur regularly in Maryland or the District of Columbia, including:

Eurasian Green-winged Teal

Little Stint

Curlew Sandpiper

Audubon's Warbler

Fork-tailed Flycatcher

Dark-eyed Junco (other than Slate-colored)

5. Species meeting the indicated range criteria:

A. These species if seen other than coastal Worcester County or over the ocean:

Northern Fulmar Cory's Shearwater Greater Shearwater Sooty Shearwater Manx Shearwater Audubon's Shearwater Leach's Storm-Petrel Wilson's Plover Great Skua Black-legged Kittiwake

Bridled Tern Dovekie Razorbill Atlantic Puffin

B. These species if seen in the Chesapeake Bay north of Anne Arundel and Queen Anne's counties; or on the Potomac River north of Charles County; or inland:

Wilson's Storm-Petrel Harlequin Duck Parasitic laeger Northern Gannet Gull-billed Tern Clapper Rail Brown Pelican Piping Plover Sandwich Tern Common Eider American Oystercatcher Boat-tailed Grackle

King Eider Pomarine laeger

C. These species if seen west of the Coastal Plain or along the Susquehanna River upstream from the Conowingo Dam:

Great Cormorant Least Tern Ruff Black Rail Little Gull Black Skimmer Black-necked Stilt Black-headed Gull Seaside Sparrow Purple Sandpiper Roval Tern

D. These species if seen west of the Piedmont:

Fared Grebe Laughing Gull Clay-colored Sparrow Tricolored Heron Iceland Gull Lark Sparrow Sandhill Crane Thayer's Gull Saltmarsh Sharp-tailed Spar. Nelson's Sharp-tailed Spar. Whimbrel Lesser Black-backed Gull Yellow-headed Blackbird Hudsonian Godwit Glaucous Gull Marbled Godwit Great Black-backed Gull Brewer's Blackbird

Red Phalarope Western Kingbird

Ross' Goose

E. These species with restricted ranges in Maryland:

Franklin's Gull Areas other than on the coastal plain west of the Chesapeake Bay (including the Susquehanna River up to Conowingo) from

Away from the Eastern Shore.

Anne Arundel and Prince George's counties north.

Northern Raven South or east of Frederick County.

Brown-headed Nuthatch On the Eastern Shore north of Queen Anne's County; and the

Western Shore except in Saint Mary's County.

Swainson's Warbler Outside the Pocomoke River area.

The species names and taxomony of this list conform to the American Ornithologists' Union Check-list of North American Birds, 1983, and supplements 35 through 40.

Please submit reports of any bird sightings meeting these criteria to:

Phil Davis MD/DC Records Committee Secretary 2549 Vale Court Davidsonville, MD 21035 (301) 261-0184

email: PDavis@OAO.com

A documentation guideline/checklist containing points to include in sighting reports is available from the secretary.